

PRE-PRINT VERSION

Bauer, Christine & Novotny, Alexander (2017). A consolidated view of context for intelligent systems. *Journal of Ambient Intelligence and Smart Environments*, 9(4), IOS Press, pp 377-393.
DOI: 10.3233/AIS-170445

The final publication is available at IOS Press through <http://dx.doi.org/10.3233/AIS-170445>

A consolidated view of context for intelligent systems

Christine Bauer^{a,*} and Alexander Novotny^b

^a *Department of Computational Perception, Johannes Kepler University Linz, Altenberger Strasse 69, 4040 Linz, Austria*

^b *Department of Information Systems and Operations Management, Vienna University of Economics and Business, Welthandelsplatz 1, 1020 Vienna, Austria*

Abstract. This paper's main objective is to consolidate the knowledge on context in the realm of intelligent systems, systems that are aware of their context and can adapt their behavior accordingly. We provide an overview and analysis of 36 context models that are heterogeneous and scattered throughout multiple fields of research. In our analysis, we identify five shared context categories: social context, location, time, physical context, and user context. In addition, we compare the context models with the context elements considered in the discourse on intelligent systems and find that the models do not properly represent the identified set of 3,741 unique context elements. As a result, we propose a consolidation of the findings from the 36 context models and the 3,741 unique context elements. The analysis reveals that there is a long tail of context categories that are considered only sporadically in context models. However, particularly these context elements in the long tail may be necessary for improving intelligent systems' context awareness.

Keywords: Context, context model, context-aware computing, intelligent systems

1. Introduction

In 1991, Mark Weiser [81] introduced a vision of intelligent environments in which systems are aware of their context and adapt their behavior accordingly. While such sophisticated systems are frequently referred to by different names (e.g., "intelligent," "context aware," "adaptive," "situated," "ambient," etc.), this paper will hereafter refer to them by the term "intelligent systems." Context is pivotal for making this vision reality.

"In order to use context effectively, we must understand what context is," Dey [20] claimed in 2001. However, since the 1990s [64], there has been an ongoing debate over what constitutes context [15, 23, 32, 75].

Early attempts to define "context" for the realm of context-aware computing are based on synonyms for context [12] or are built on enumerations of examples [19, 65]. Some researchers have taken a dynamic viewpoint, considering context as an "open concept" [76] or a "process" [9] through which context is

"dynamically constructed" [23]. Some consider context from the user's perspective [12], from the system's view [61] or abstract from both, by referring to context as aspects of the current situation [38]. Dey and Abowd [21] define context as "any information that can be used to characterize the situation of an entity." Still, such characterization of a situation is no easy task [3].

In addition to such attempts to conceptualize context through definition, another common approach is to divide context into different categories and subcategories [32]. Such structured context conceptualizations are known as "context models." A *context model* is a simplified representation of context intended to describe and/or structure context elements. Furthermore, a *context element* is defined as a subset of context that describes one contextual aspect, such as the location of a user.

Context models have been proposed by researchers in various fields, including human-computer interaction (HCI) [e.g., 44], ubiquitous computing [e.g., 58], context awareness (CA) [e.g.,

* Corresponding author. E-mail: christine.bauer@jku.at

14], and computer-supported collaborative work (CSCW) [e.g., 82]. Throughout these fields of research, the models are scattered and heterogeneous. So far, these “puzzle pieces” have not been put together.

Against this background, this paper’s main objective is to consolidate and organize the dispersed knowledge about context. To achieve this goal, this paper will first present and analyze a set of 36 context models in the realm of intelligent systems. Second, it will investigate whether these models reflect the context elements that are considered in the discourse on intelligent systems. Third, it will consolidate the findings that reflect previous knowledge about context from context models as well as from the discourse on intelligent systems. The paper closes with a discussion and conclusions.

2. Analysis of context models

To gain an understanding of how context is conceptualized and categorized by researchers in the field of intelligent systems, we conducted an analysis of the context models that other researchers have employed.

Frequently, context models were set up as “working models” on which its authors could develop and build their own systems [e.g., 68]. Note that some authors use the term “context model” to describe the *data structure* representing the context for a specific intelligent system [e.g., 4, 6, 11]. This paper, however, only refers to conceptual context models independent of any particular system.

2.1. Literature search and acquisition

As suggested in the literature [8, 28], we performed a multistep procedure to identify relevant context models in existing research. First, we performed a literature search in three electronic databases: ACM Digital Library, IEEE Xplore Digital Library, and Web of Science. Second, we acquired literature by searching backwards in time, scanning reference lists of identified publications for relevant sources (snowball search). Third, we searched forward in time for relevant publications in which the already-identified publications were cited. Finally, further publications were gathered with the help of other researchers in the intelligent systems community as well as serendipitous encounters with relevant publications while browsing the literature.

Following this multistep approach, we retrieved a total of 47 publications (18 journal articles, 17 conference publications, two monographs, five book sections, three standards, and one working paper) containing potentially relevant models. After in-depth examination, 11 publications had to be excluded because their models were not designed to cover the entirety of context [4, 5, 13, 63, 70]; described systems that only use context [7, 30, 34, 35]; were exclusively concerned with user experience, made no reference to intelligent systems [33]; or did not relate to systems at all [16]. An overview of the remaining 36 context models we analyzed is presented in the Tables 1-4.

2.2. Coding from publications

For each publication, we obtained the following information: (1) meta-information on the publication (citation information); (2) meta-information on the publication that the respective model builds upon (if available); (3) research field of the publication, including HCI, CA, and CSCW; and (4) context elements for all hierarchy levels of the model.

2.3. Comparing the context models

We compared the models by identifying mapping and differences between them based on their defined properties and levels [52]. We compared the models with respect to (1) their provenience (i.e., research field) and the ways they build upon each other, (2) the variety of context covered by the models, (3) the context categories that the context models share, (4) their relation to Nicomachean ontological thinking, (5) their independence from technical implementation, and (6) their consideration of multiple domains. Our analysis of the 36 context models is structured according to the following six aspects.

(1) Context model provenience: We analyzed in which fields of research the context models were built and the ways the models build upon on each other.

(2) Variety of context covered: A context model should embrace the variety of context that may be used to characterize a situation. To reflect this variety, context models need to have breadth and depth. To allow for a quantified comparison of the context models, we assumed that a context model follows a tree structure with “context” as the root element. We defined H as the number of hierarchy

levels and N as number of nodes on the level root + 1. The “level of detail” index D of each model is calculated by taking the reciprocal value of the product of the number of context nodes on the level

root + 1 (N) and the total number of hierarchical layers (number of levels) H (Eq. (1)).

Table 1
Overview of context models with a high level of detail, part 1

Authors {model derived from authors} Context elements	Research field	Level of detail			Nicomachean ontology		
		H *	N *	D index **	n	t	e
Kaenampornpan and O’Neill [45] user, community, object, tools, rules, division of labor, outcome, time	CA	5	8	0.025	x	x	x
ISO 9241-11:1998(E) [40] users (user types, personal attributes), tasks, equipment (basic description, specification), organizational (structure, attitudes and culture, job design), technical (configuration), physical environment (workplace conditions, workplace design, workplace safety)	HCI	3	6	0.056	x	x	x
Jameson [43] situation’s behavior, consequences for user (e.g., interestingness), utility for user, features of the situation (e.g., user’s location), current state of user (e.g., cognitive load), longer-term properties of user (e.g., knowledge, interests), readings from context sensors (e.g., GPS), readings from physiological sensors, user’s behavior with the situation	CA	2	9	0.056	x		x
Krogstie [48] spatio-temporal context (time, location, direction, speed, shape, track, place, social arena), environment context (things, services, temperature, light, humidity, noise, persons, networks), personal context (physiological context (pulse, blood pressure, weight, hair color), mental context (mood, expertise, anger, stress)), task context (goals, tasks, actions), social context (friends, neighbors, co-workers, relatives), information context	HCI	3	6	0.056	x		x
Gnirs [27] person (identity, physiology, cognition), time (quantitative, qualitative), position (geometric, symbolic), ambience (lighting, volume, climate), device (hardware platform, software platform), item	CA	3	6	0.056	x	x	x
Sigg et al. [72] location (geographical, relative), time (period, relative), activity (action, task), constitution (biological, mood), environment (physical, technological, equipment), identity (user, social, organizational)	CA	3	6	0.056	x	x	x
Jumisko-Pyykkö and Vainio [44] social (persons present, interpersonal actions, culture), physical (spatial location, functional place and space, sensed environmental attributes, movements and mobility, artefacts), technical and information (other systems and services, interoperability, informational artifacts and access, mixed reality), temporal (duration, time of day/weeks/year, before/during/after, actions in relation to time, synchronism), task context (multitasking, interruptions, task type), context properties (level of magnitude, dynamism, pattern, typical combinations), level of magnitude (micro – macro), level of dynamism (static – dynamic), pattern (rhythmic – random), typical combinations	HCI	2	9	0.056	x	x	x
<p>CA... context awareness; CSCW... computer-supported collaborative work; HCI... human-computer interaction; H... number of hierarchy levels; N... number of nodes on the root+1 level; D index... detail index;</p> <p>n... nous (Greek νοῦς, French for “us”): ability to reason with care for the community and people, i.e., the ability to consider social context;</p> <p>t... techné (Greek τέχνη, “craft, skill of hand”): ability to act and adapt based on the installed technology base, and deployed techniques, methods and IT landscape, i.e., the ability to adapt to the technology context;</p> <p>e... episteme (Greek ἐπιστήμη, “knowledge”): ability to reason based on the sensible knowledge of the world and the environment, predominantly in the physical surroundings of a system, i.e., physical context.</p> <p>* We assume that a context model follows a tree structure with ‘context’ as the root element.</p> <p>** The detail index D of each model has been calculated by taking the reciprocal value of the product of the number of context nodes on the root+1 level N and the total number of hierarchical layers (number of levels) H.</p> $D = \frac{1}{N \cdot H}$ <p>A detail index greater than or equal to 0.2 indicates low detail, including a small number of generic context categories. Models having a detail index smaller than or equal to 0.1 exhibit high detail, with a considerable number of both generic and specific context categories enriched by explicit examples. Models with medium detail have an index value greater than 0.1, but smaller than 0.2.</p>							

Table 2

Overview of context models with a high level of detail, part 2

Authors {model derived from authors} Context elements	Research field	Level of detail			Nicomachean ontology		
		H *	N *	D index **	n	t	e
Rodden et al. [61] location (real/virtual world, space, time), mobility (level, device-relatedness, binding to an individual), environment population (people, devices, objects), awareness (presence, identity, attributes), measurement (accuracy, timeliness, cost)	HCI	3	5	0.067	x		x
Alonso-Ríos et al. [1] user (role (operation, support, monitoring, indirect), experience (with the system, with similar systems), education (educational background, knowledge of system domain, knowledge of system language, knowledge of system culture), attitude to the system, physical characteristics (sensorial characteristics (sight, hearing, touch, smell, taste), speech characteristics, motor characteristics), cognitive characteristics), task (choice in system use, complexity, temporal characteristics (duration, frequency), demands (on human resources (physical (sensorial, speech, motor), cognitive), on material resources), workflow controllability (performance freedom, reversability), safety (user safety (physical, legal, confidentiality, property), third-party safety, environmental safety), criticality (precision, robustness, time)), environment (physical environment (sensorial conditions (quality (visual, auditory, tactile, olfactory, gustatory), stability)), atmospheric conditions (quality (air purity, humidity, temperature, air movement), stability), spatial conditions (space availability, location suitability (workplace to environment, system to workplace), postural suitability, safety (user safety (physical, legal, confidentiality, property), system safety), social environment (work relations (team work, human support, interruptions), aims, control (monitoring, feedback, user autonomy))), technical environment (suitability of physical equipment (to knowability, to operability, to efficiency, to robustness, to safety, to subjective satisfaction), suitability of logic equipment, suitability of consumption materials))	HCI	5	3	0.067	x	x	x
Soikkeli et al. [75] {Schmidt et al. [68]} personal context (user, social environment, activity/task), environmental context (conditions, infrastructure, location), manually provided context, sensed context, derived context	CA	3	5	0.067	x		x
Schmidt et al. [68] human factors (user, social, environment, task), physical environment (conditions, infrastructure, location), time	CA	4	3	0.083	x		x
Wigelius and Väättäjä [82] social (work community, persons present at usage situations, culture), infrastructural (technologies, network connections, device, system and service ecosystems), task (interaction when using the system, entity and goal of the tasks and work), temporal (e.g., schedules, deadline), spatial context (place, location, temperature, noise, lighting, furniture)	HCI, CSCW	2	5	0.100	x	x	x
ISO 9241-210:2010 12 15 [41] users or groups of users (knowledge, skill, experience, education, training, physical attributes, habits, preferences, capabilities), goals and tasks, technical (hardware, software, materials), physical (thermal conditions, lighting, spatial layout, furniture), social and cultural environment (work practices, organizational practices, attitudes)	HCI	2	5	0.100	x	x	x
ISO/IEC DIS 25063.3 [42] users, tasks, equipment (hardware, software, materials), physical environment, social environment	HCI	2	5	0.100	x	x	x
<p>CA... context awareness; CSCW... computer-supported collaborative work; HCI... human-computer interaction; H... number of hierarchy levels; N... number of nodes on the root+1 level; D index... detail index;</p> <p>n... nous (Greek νοῦς, French for “us”): ability to reason with care for the community and people, i.e., the ability to consider social context;</p> <p>t... techne (Greek τέχνη, “craft, skill of hand”): ability to act and adapt based on the installed technology base, and deployed techniques, methods and IT landscape, i.e., the ability to adapt to the technology context;</p> <p>e... episteme (Greek ἐπιστήμη, “knowledge”): ability to reason based on the sensible knowledge of the world and the environment, predominantly in the physical surroundings of a system, i.e., physical context.</p> <p>* We assume that a context model follows a tree structure with ‘context’ as the root element.</p> <p>** The detail index D of each model has been calculated by taking the reciprocal value of the product of the number of context nodes on the root+1 level N and the total number of hierarchical layers (number of levels) H.</p> $D = \frac{1}{N \cdot H}$ <p>A detail index greater than or equal to 0.2 indicates low detail, including a small number of generic context categories. Models having a detail index smaller than or equal to 0.1 exhibit high detail, with a considerable number of both generic and specific context categories enriched by explicit examples. Models with medium detail have an index value greater than 0.1, but smaller than 0.2.</p>							

Table 3

Overview of context models with a medium level of detail

Authors {model derived from authors} Context elements	Research field	Level of detail			Nicomachean ontology		
		H *	N *	D index **	n	t	e
Zainol and Nakata [83] extrinsic (physical conditions, social environment, computing entity, location), intrinsic (user's personal profile, preferences, emotional state), interface (context activity, service)	CA	3	3	0.111	x	x	x
Chen and Kotz [14] {Schilit et al. [64]} physical, user, computing environment, time	CA	2	4	0.125	x	x	x
Dix et al. [22] {Rodden et al. [61]} infrastructure, system, domain, physical context	CA	2	4	0.125		x	x
Tarasewich [77] {Schmidt et al. [68]} time, participants (location, orientation, personal properties, mental state, physical health, expectations), activities (tasks and goals, events in the environment), environment (location, orientation (of objects), physical properties, brightness and noise levels, availability, quality of devices and communications), interactions (co-location, group dynamics, social situations, participant/environment relationships, season, time-of-day, day-of-the-week)	CA	2	4	0.125	x	x	x
Roto [62] physical, social, temporal, task	HCI	2	4	0.125	x		x
Truillet [78] {Schmidt et al. [68]} human factors (user, social, environment, task), physical environment (conditions, infrastructure, location), time	HCI	4	2	0.125	x		x
Rajkomar et al. [60] society (dialysis unit, home system (home healthcare system (local)))	HCI	4	2	0.125	x		
Hull et al. [38] personal health, user identity, companions, location, time, computing resources, physical environment	CA	1	7	0.143	x	x	x
Schirmer and Bach [66] user, resource, information, ecological sphere, technical sphere, social sphere, environment	HCI	1	7	0.143	x	x	x
Schmidt et al. [67] {Schmidt et al. [68]} self (device state, physiological, cognitive), environment (physical, social), activity (behavior, task)	CA, HCI	2	3	0.167	x	x	x
Sears et al. [69] environment (location, physical conditions, infrastructure), applications (functions, I/O channels), human (user, activities, social environment)	HCI	2	3	0.167	x	x	x
Kim et al. [46] personal (internal, external), environmental (physical, social) context	HCI	3	2	0.167	x		x
Lee et al. [49] {Kim et al. [46]} personal (emotion, time, movement), environmental (physical, social) context	HCI	3	2	0.167	x		x
<p>CA... context awareness; CSCW... computer-supported collaborative work; HCI... human-computer interaction; H... number of hierarchy levels; N... number of nodes on the root+1 level; D index... detail index;</p> <p>n... nous (Greek νοῦς, French for "us"): ability to reason with care for the community and people, i.e., the ability to consider social context;</p> <p>t... technē (Greek τέχνη, "craft, skill of hand"): ability to act and adapt based on the installed technology base, and deployed techniques, methods and IT landscape, i.e., the ability to adapt to the technology context;</p> <p>e... epistēmē (Greek ἐπιστήμη, "knowledge"): ability to reason based on the sensible knowledge of the world and the environment, predominantly in the physical surroundings of a system, i.e., physical context.</p> <p>* We assume that a context model follows a tree structure with 'context' as the root element.</p> <p>** The detail index D of each model has been calculated by taking the reciprocal value of the product of the number of context nodes on the root+1 level N and the total number of hierarchical layers (number of levels) H.</p> $D = \frac{1}{N \cdot H}$ <p>A detail index greater than or equal to 0.2 indicates low detail, including a small number of generic context categories. Models having a detail index smaller than or equal to 0.1 exhibit high detail, with a considerable number of both generic and specific context categories enriched by explicit examples. Models with medium detail have an index value greater than 0.1, but smaller than 0.2.</p>							

Table 4

Overview of context models with a low level of detail

Authors {model derived from authors}	Research field	Level of detail			Nicomachean ontology		
		H *	N *	D index **	n	t	e
Bradley and Dunlop [9] task, physical, social, temporal, cognitive, application	CA, HCI	1	5	0.200	x		x
Turel [80] who (user), when (time), where (environment), why (motivation), what (task/goals)	HCI	1	5	0.200	x		x
Schilit et al. [64] physical, user, computing environment	CA	1	4	0.250	x	x	x
Lieberman and Selker [51] user, physical, computational environments, interaction history (time)	CA	1	4	0.250	x	x	x
Gwizdka [31] {Schmidt et al. [68]} internal (user goals and tasks, user's work context and busyness, personal events, user's cognitive state and communication state, user's emotional state and physical state), external context (location, proximity to other objects, temperature, time)	CA	2	2	0.250	x		x
Sitou and Spanfelner [73] {Tarasewich [77]} time, participants, activities, operational environment	CA	1	4	0.250	x		x
Han et al. [32] physical, social, internal context, time	CA	1	4	0.250	x		x
Lucas [53] physical, device, information context	CA	1	3	0.333		x	x
Prekop and Burnett [58] agent, activity	CA	1	2	0.500	x		

CA... context awareness; CSCW... computer-supported collaborative work; HCI... human-computer interaction; H... number of hierarchy levels; N... number of nodes on the root+1 level; D index... detail index;
n... nous (Greek νοῦς, French for "us"): ability to reason with care for the community and people, i.e., the ability to consider social context;
t... techne (Greek τέχνη, "craft, skill of hand"): ability to act and adapt based on the installed technology base, and deployed techniques, methods and IT landscape, i.e., the ability to adapt to the technology context;
e... episteme (Greek ἐπιστήμη, "knowledge"): ability to reason based on the sensible knowledge of the world and the environment, predominantly in the physical surroundings of a system, i.e., physical context.

* We assume that a context model follows a tree structure with 'context' as the root element.
** The detail index D of each model has been calculated by taking the reciprocal value of the product of the number of context nodes on the root+1 level N and the total number of hierarchical layers (number of levels) H .

$$D = \frac{1}{N*H}$$

A detail index greater than or equal to 0.2 indicates low detail, including a small number of generic context categories. Models having a detail index smaller than or equal to 0.1 exhibit high detail, with a considerable number of both generic and specific context categories enriched by explicit examples. Models with medium detail have an index value greater than 0.1, but smaller than 0.2.

$$D = \frac{1}{N*H} \quad (1)$$

A value of D greater than or equal to 0.2 indicates a low level of detail, including a small number of generic context categories. Models with D smaller than or equal to 0.1 exhibit high detail with a considerable number of both generic and specific context categories enriched by explicit examples.

Models with medium detail have a D value greater than 0.1, but smaller than 0.2.

(3) Shared context categories: To identify the most frequently used context categories and elements among the context models, we considered all hierarchy levels. First, we identified the context categories in the top level of the context models that were named identically in several models and grouped them accordingly (e.g., "physical context"). Other context categories had different labels; these

were grouped based on their semantics, which we inferred based on content analysis. This approach allowed us to merge categories and elements that were labeled differently, but represented the same concept (e.g., “physical condition” and “physical characteristics”). Two independent researchers judged the categories to determine which categories or elements should be grouped together.

(4) Relation to Nicomachean ontological thinking: Nicomachean ontological thinking considers three types of dianoetic virtues that intelligent actors, such as intelligent systems, should consider when reasoning on context:

- Nous (Greek νοῦς, French for “us”): the ability to reason with care for the community and people; the ability to consider social context.
- Techne (Greek τέχνη, “craft, skill of hand”): the ability to act and adapt based on the installed technology base and deployed techniques, methods, and information technology (IT) landscape; the ability to adapt to the technology context.
- Episteme (Greek ἐπιστήμη, “knowledge”): ability to reason based on sensible knowledge of the world and the environment, predominantly in the physical surroundings of a system – that is, physical context.

(5) Independence from technical implementation: Our work aims at consolidating context that is independent from a technical implementation representing what may be used to characterize a situation and not the means to do so.

(6) Consideration of multiple domains: Context exists in various domains, which may – but need not – overlap [10]. For example, in order to design an intelligent system that can be worn by a firefighter, the system designer must consider not only generic context elements such as location, movement, and time, but also domain-specific context elements such as the distance to the closest exit and hidden debris [24]. Therefore, our consolidation of context models aims at considering a multitude of different domains.

2.3.1. Context model provenience

Out of our 36 models, fifteen categorize context in the field of HCI. Eighteen explicitly recognize systems that intelligently adapt their behavior to the considered context (marked as CA in the tables 1-4). Two models consider both HCI and CA, and one focuses on HCI and CSCW.

Although some context elements, such as location, appear in many context models, the context models

largely do not build on each other. Only a few context models build on earlier models. For instance, the models of Schmidt et al. [67], Gwizdka [31], and Truillet [78] enhance the model of Schmidt et al. [68]. Schmidt et al. [68] proposed a working model for context in the field of mobile systems. They divided context information into two categories: human factors and the physical environment. The human factors were categorized as information about users themselves, their social environment, and their tasks. The physical environment was similarly defined through location, infrastructure, and physical conditions. Although building upon Schmidt et al.’s model [68], Gwizdka [31] followed a rather different approach; his model distinguishes between internal (e.g., user goals and tasks) and external (e.g., location and time) context.

2.3.2. Variety of context covered

The context models also differ considerably in the variety of context elements they include. Nine models structure context into only a few categories and hierarchy levels (see tables 1-4); for example, Lucas [53] distinguished between physical, device, and information context. In contrast, however, 14 of the context models provided a wider array of context elements and examples; for example, categories in the context model presented by Sigg et al. [72] include location (geographical, relative), time (period, relative), activity (action, task), constitution (biological, mood), environment (physical, technological, equipment), and identity (user, social, organizational). The remaining models reflect a medium level of detail.

2.3.3. Shared context categories

Among the 36 context models, we identified five shared context categories: social context, location, time, physical context, and user context. Social aspects, which go beyond isolated conceptions of the user, are recognized by 78 percent of the models (28 models). User context is also part of many context models, although the models consider this category at different levels within their hierarchies. Further, the models use various terms to describe user context including “user,” “identity,” “self,” “internal dimension,” “consequences for user,” “personal context,” “participants,” “personal properties,” “human factors,” and “intrinsic context.” Location and time are featured in almost all the context models. All models except the one described by

Prekop and Burnett [58] include aspects of physical context (e.g., “physical context,” “physical environment,” “physical,” “environmental conditions,” “environment including the physical aspect,” “physical conditions,” and “physical characteristics”). In a few models [44, 68, 69, 78], location context, time context, and physical context together determine the physical environment in which a system operates. Furthermore, many models include technological aspects of context, such as the “computing environment,” “hard-/software platform,” “network characteristics,” and “factors of the technological infrastructure” [44, 82].

2.3.4. Relation to Nicomachean ontological thinking

Sixteen of the evaluated 36 models relate to all three dianoetic virtues. Sixteen context models relate to two virtues only, and two models relate to only one virtue. Interestingly, most of the models that consider two virtues relate to “nous” and “episteme,” while “techne” is rarely considered in combination with “nous” or “episteme.”

2.3.5. Independence from technical implementation

Most of the models are built independently from technical implementations and can thus also be leveraged with novel technologies. For instance, the model of Sigg et al. [72] refrains from defining the user’s location in terms of specific technologies, such as global positioning systems’ (GPS) raw coordinates or indoor location systems’ vector data. This independence from a specific technical implementation allows the model to be used with both current and future technologies.

2.3.6. Consideration of multiple domains

None of the evaluated 36 models consider generic *and* domain-specific aspects. Models that contain only generic context [e.g., 69, 83] provide little support for understanding the context in a particular system’s domain [4] (e.g., healthcare, automotive, advertising, or accounting). Models that focus on only one domain [e.g., 46, 61], in contrast, can rarely be reused in other domains.

3. Content analysis of context in pervasive computing articles

Having analyzed this heterogeneous set of context models (see Section 2), we explored whether these models reflect the context elements that are considered in the discourse on intelligent systems.

Our approach is based on the assumption that context models should cover the context elements included in research on intelligent systems. To gain an understanding of context in this discourse, we sampled context elements that were mentioned in the *IEEE Pervasive Computing* magazine over a six-year period. We chose this magazine for two reasons. First, a literature review [37] identified that this magazine is a prominent source for practitioner articles on intelligent systems. Second, both practitioners and academics frequently use this magazine to obtain knowledge and spread their findings. Including the perspective of practitioners was particularly interesting for our analysis as the context models already represented the academic perspective on context for our consolidation.

3.1. Data acquisition

The sample’s scope included all articles from issue 4(1) to issue 10(2) of the *IEEE Pervasive Computing* magazine. We included the following article categories in the sample: Applications, News, Smart Phones, Spotlight, Standards & Emerging Technologies, Wearable Computing, and Works in Progress. The following categories of articles were excluded from the sample because they are not concerned with the subject matter: Conferences, Education & Training, New Products, From the Editor in Chief, and Guest Editor’s Introduction. Out of 414 articles in the reviewed issues, 297 met our inclusion criteria.

Our data acquisition (i.e., coding procedure) of the context elements in the articles involved two steps. In the first step, we identified context elements in the articles. Two reviewers inductively coded the raw data (i.e., the articles) and obtained explicitly stated context elements (type a) and implicitly stated context elements (type b). A context element is considered to be explicitly stated when a word or any form of the word (e.g., its plural form) of a context element is explicitly mentioned in the article (e.g., “atmospheric,” “color”). We considered two types of implicitly stated context elements in our consolidation: (i) a context element may be

circumscribed in the article (e.g., “rate of the vehicle’s speed change” is coded as “acceleration and deceleration”) and (ii) a value of a context element is stated in the article (e.g., “loud” is coded as ‘noise level’). For examples, see Table 5. In some instances, the authors initially disagreed on the coding of an element. More precisely, one of the authors considered a stated term an explicitly stated context element for the consolidation (type a). The other author considered the term one of the various values of a corresponding context element that had to be included in the consolidation (instead of including the value itself); (type b (ii); see Table 5). For example, “efficiency” may be an explicitly stated context element because an intelligent system may change the transmission channel based on the spectral efficiency of the available transmission channels. In another system, “efficient” could be one of the various values of the context element “cost.” When such disagreement emerged, the authors carefully examined the original text in the articles and discussed its respective elements until they reached a consensus. A total of 10,498 elements (9,867 explicit, 631 implicit) were coded, including duplicates from different articles, but excluding duplicate occurrences within one article.

In the second step, for the purpose of grouping, we applied a “word stemming” procedure for explicitly and implicitly stated context elements. This procedure eliminates redundancy by combining different terms that have the same base form. For example, “locations” was coded as “location.” This procedure resulted in 3,741 distinct context elements (without duplicates).

Table 5
Coding of implicitly stated context elements (type b)

	Implicitly stated context element in article	Coded context element
b(i)	rate of the vehicle’s speed change	acceleration and deceleration
	surrounding noise	atmospherics
	fire fighting conditions	harsh environment
b(ii)	loud	noise level
	blue	color
	Second Life	virtual world
	22°C / 72°F	temperature

3.2. Categorization of context elements

Informed by the results of the analysis of existing context models (Section 2.3.3), we jointly built a

classification scheme from the raw data. When we disagreed about a categorization, we discussed the respective context element until we reached consensus. Several iterations were necessary to assign the 3,741 distinct context elements to categories. (The reasoning underlying our assignment of the identified context elements to categories is presented together with our consolidated framework of context in Section 4).

The final consolidation presented in Fig. 1 integrates all context categories and elements identified in the context models as well as in the content analysis.

3.3. Assignment procedure

Our process of assigning the context elements that were identified in the content analysis was informed by the results of the analysis of existing context models (see Section 2.3.3). Two reviewers assigned each element to a respective category or decided to leave it unassigned, if no corresponding category existed. Then, the reviewers discussed the elements for which disagreement emerged until they reached a consensus about the appropriate context element (Table 5). Of the 3,741 unique context elements identified in the content analysis, 1,973 could be directly assigned to existing categories, whereas the other elements could not be assigned, as they did not match any of these categories.

Analysis of the unassigned context elements suggested that coherent element clusters existed, with each being relevant only to a specific application domain. The content analysis helped identify clusters, each targeting one domain and showing no overlap with *generic* context elements. Overall, 715 context elements could be attributed to domain-specific context element clusters (see Section 4.2).

The remaining 592 context elements were assigned to newly introduced categories. For example, we added the context elements “ownership,” “distribution,” “degree of space manipulability,” “user habits,” “socioeconomics,” and “obtrusiveness,” among others. Based on the content analysis, we extended the categorization of existing context models by introducing new categories and new elements. The resulting categorization of context elements is presented in Section 4.

4. A consolidation of context for intelligent systems

Based on our analysis of existing context models (Section 2) and our content analysis of context in the *IEEE Pervasive Computing* magazine (Section 3), we present the following consolidated findings, which reflect the variety of contexts in which intelligent systems are embedded. The consolidation distinguishes between (1) generic and (2) domain-specific context elements. We deduced the structure and concepts of the consolidation from the analysis of the 36 context models identified in Section 2.

Unlike earlier context models, the consolidation’s domain-specific context category explicitly considers the context specificities of a system’s domain, as called for by Brézillon and Abu-Hakima [10]. Domain-specific context comprises the categories of “target service” and “resource availability.” This dyadic split into system-specific output (i.e., “target service”) and input (i.e., “resource availability”) was adopted by Bauer and Spiekermann [4] for a domain- and system-specific context model in the field of advertising.

Table 6
Selective examples for category assignments

Raw data in article		Assignment reviewer 2	Assignment reviewer 2		Discussion of assignment	Reassignment after group discussion
locality	→	physical context: location	physical context: location	→	– (consensus between reviewers)	physical context: location
behavioral adaptivity	→	social context: activity	technological context: information technology (behavior)	→	the original article considered behavioral adaptivity of a computer system	technological context: information technology (behavior)
virtual copresence	→	virtual co location	physical context: location	→	virtual copresence takes place in a virtual environment rather than physical environment	technology context: virtual environment: presence (virtual co-location)

The structure of the generic context reflects 2,300 years of Nicomachean ontological thinking that we already used for analyzing existing context models. We structured generic context based of the three types of dianoetic virtues that intelligent actors should consider when reasoning on context: nous (i.e., social reasoning), techne (i.e., reasoning in adaption to technology), and episteme (i.e., reasoning based on knowledge of the world and the environment). Thus, in our consolidation, generic context is divided into three categories: social context, technology context, and physical context. Fig. 1 provides an in-depth visualization of our consolidation. The figure is to be read top-down as it reflects the hierarchical structure of the context categories. Generic context is subdivided by the categories social context, technology context, and physical context, which are illustrated by white boxes. Each of these categories has several subcategories, which are illustrated by black-framed boxes. Social context contains the subcategories “social environment,” “user,” and “activity.” In our

structure, we list the context elements for each subcategory. Illustrative examples for context elements are provided in brackets. We want to stress that a single context element is never exclusively generic, domain-specific, social, technological, or physical. For example, consider the context element “birthday.” The date of a person’s birthday (e.g., May 5, 1994) has a physical temporal meaning marking its calendar date. It also has a social meaning because the birthday represents a special day for the person in the course of the year, distinguishing it from the other “unbirthdays”¹: friends give birthday presents to the person only on this special day. A database-like birthday collection of one’s social contacts, such as those provided by online social networks, can be the technology context for an intelligent system accessing this data resource. Moreover, the birthday could be a generic context element for intelligent applications as part of the

¹ The term “unbirthday” inverts the special social meaning of the term “birthday” and was coined by the fairytale *Alice in Wonderland*.

basic personal data describing a user. It could also be a domain-specific context, in the particular scope of a birthday reminder app. The consolidation provides a

classification and structure for such a range of context elements.




Fig. 1. Graphical representation of the consolidated findings on context

4.1. The generic context

We structure the generic part of the consolidation into the three categories of context that we derived from the analysis of existing context models (see Section 2): social context, technology context, and physical context. The social context includes all elements that are concerned with the user's social environment and the user him- or herself. The technology context includes all elements that relate to IT and the virtual world, such as the presence of devices in networks and their respective connectivity. The physical context comprises all elements that are part of a system's surroundings but are not specific to a domain; these elements may be useful for a variety of systems across several domains.

4.1.1. Social context

Social context is context that results from human behavior, which includes the actions and interactions of social actors. This context includes the behavior of the people surrounding the user of an intelligent system. The German philosopher Georg Wilhelm Friedrich Hegel (1770–1831) postulated that an individual is always bound to a social context, which is external to him or her.

Cultural environment and political circumstances are part of the *social environment* because they are created by the interactions of social actors. The micro-social environment includes small scale time- and space-regulated social situations [29]. Social systems are influenced by psychological predispositions and phenomena, such as group dynamics and social surroundings, which include the presence and behavior of other people and their interactions [47, 68]. While building the consolidation of context, we considered that psychological predispositions that could also be assigned to user category because predispositions stem from within the user. Psychological predispositions affect the interactions between people, resulting in peer pressure, for example. Therefore, this context element has been assigned to the social environment. Moreover, assigning social context to environment helps to distinguish formal (e.g., business environment) and informal (e.g., leisure environment) social settings [11].

Social context also involves the *user* of an intelligent system. A user's identity includes both a stable profile – with elements that evolve very slowly

over time, and a situational or dynamic profile – with elements, which may vary more frequently [50]. Stable elements include a user's social security number, demographics [68], sociographics [79], and socioeconomics whereas dynamic elements include psychographics, such as a user's affect, mood, and emotions [59], preferences [11], biophysiological conditions [68], knowledge, and habits. These context elements are part of the “user” category because they build a one-to-one relationship with the user. Moreover, a user's perception refers to the user's own perspective, view, and impression.

Activity theory [54, 58] suggests that context is dynamically co-constructed by the *activities* of social actors [23]. Activity refers to the process that users are involved in when they are using a system [68]. For contextual advertising in retail, for instance, the buying process engages the user. Thereby, the user is in a certain stage within this process (for instance, the user might need recognition while engaged in that process) [59]. Because a task is an activity that a user may perform [58], we assigned involvement in a task process to the activity category. Degree of control refers to the extent that a system allows its users to determine its actions [26]. In contrast, obtrusiveness is the amount of distraction (e.g. noise) that a user is exposed to while performing a task [74]. Where being “in control” or “distracted” are always connected to and dependent on an activity (making a case against these context elements to the “user” category), degree of control and obtrusiveness are characteristics of the activity that a user performs.

4.1.2. Technology context

Technology context is the pervasive network of technologies that surrounds people and intelligent systems within smart environments. Systems never operate in technological isolation; but rather, they interact with diverse information systems. For instance, many systems adapt their behavior based on available speed of network connection. We therefore distinguish between the context of IT and the virtual environment. IT comprises the context elements that are internal to the technological solution that the system runs on. IT context not only refers to computing resources but also to issues such as connectivity to a network [17], platform characteristics, security, and privacy concepts (e.g., integrity, system stability) [11]. Privacy is a technical design feature of intelligent systems [39], leading to its assignment to technology context. Behavior,

which is also assigned to technology context, refers to a system's actions and reactions. Such actions or reactions could include failure. Risk, which also falls under the same category, concerns the probability that a system-related event or behavior will occur (e.g., system outage) [36]. Additional contextual determinants of system use are the system's performance (i.e., effectiveness) and its operating costs (i.e., efficiency) [18]. Effectiveness and efficiency relate to the economic aspects of technology, which are inherent to the characteristics of the technology itself [71].

Technology context extends into the real world by enhancing it with elements from the *virtual environment*. Virtual environment encompasses the cyberspace surrounding a system, which includes other services, as well as interactions with those services. Virtual presence connotes co-location in a virtual space. For instance, a network-capable printer that is "visible" in the network environment is "present." Additionally, the virtual environment considers interaction with technological components and includes coordination of networks, wireless communication, and service and resource discovery [e.g., 17]. The "content" element refers to information artifacts such as images, text files, audio, etc. [e.g., 25], and their audiovisual representations. Because of their manifested representation in virtual information structures such as files, we assigned this context element to the virtual environment instead of to another category, such as available resources.

4.1.3. Physical context

Physical context is the sum of observable elements in the "real world." In a narrow sense, the physical context involves the conditions of the local environment in which an intelligent system operates – namely, the *physical deployment environment*. Such operative environments include, for example, a store or a car. Since such operative environments represent a functional type of environment rather than a specific location, this context element has been assigned to the physical deployment environment category [44]. Indoor and outdoor environments are two possibilities for deploying systems within the physical environment. Elements of the built environment, including form, material, architectural structures and the presence of distinct physical objects [56], influence a system's physical surroundings. A significant part of the physical deployment environment consists of infrastructure, such as traffic infrastructure [11].

Light, sound, and air quality also contribute to atmospherics, which are part of the physical environment. This physical deployment environment may also be divided into objective states based on an individual's perceptions. For instance, a space can be perceived as public or private. In this regard, Paay [55] calls space perceptions "locatedness," which refers to the physical-environmental characteristics that space perceptions imply. Safety refers to the crime rate in a physical environment [1]. Ownership defines the property rights related to a physical object, such as "this house is owned by company X." Typically only relevant to outdoor settings, weather includes temperature and wind-chill factor. These environmental conditions, as well as other objects in nature cannot be easily manipulated.

Elements of the physical deployment environment frequently depend on *location* (e.g., weather). As reflected by the importance of location-based services [68], the location of entities is a widely used category of context. Although many existing context models consider physical context and location as two distinct categories, location is part of the physical context within the consolidation. The notion of "location" as understood in the consolidation refers to physical location – a tangible point or area. Location corresponds to the intelligent system's place of use, or its absolute and relative location, as well as the position of other entities that are relevant to the service [56, 68]. Location may be considered from a broad perspective such as considering households in a particular region, or on a narrowly defined basis such as the proximity to a fridge. Furthermore, location can be symbolic (e.g., "room 2.23") or geometric (e.g., real space representations, such as distance or altitude) [14]. Location also comprises aspects deeply anchored in physics, such as space characteristics – geometry, angle, spatial relation, line of sight – and distribution – spatial distribution, geographical dispersion. Arminen [2] argues that space-related characteristics relating to the entities' activities and interactions provide more meaningful location information to a system than geographical location. Some of these characteristics can be manipulated (e.g., where to install a system), whereas others cannot (e.g., mobile devices).

Movement describes changes in location. It considers the "mobility" of life showcased by myriad intelligent mobile services [11, 57, 82]. The movement element includes parameters like speed, acceleration, and deceleration [44]. Moreover, it considers whether an object is mobile at all and

indicates movement variations, such as orientation, rotation, and directions (e.g., for routes).

Finally, location and movement are interrelated through the aspect of *time*, which is among the most mentioned context elements identified in the content analysis (601 assigned elements, see Section 3). Time context can refer to particular points in time (e.g., 6:00 a.m.) or to periods of time (e.g., summer, Christmas). Although “special” time periods, such as Valentine’s Day or a birthday, also have social meaning, we assigned them to a category based on their temporal aspect. An event is an incident in time [77]. In synchronous time, events are perceived to occur simultaneously. Time also includes the day in a week (e.g., Monday) and time of day (e.g., after work) and time of day [12]. While an intelligent system may be triggered by a time event, which the operator can manipulate, other systems may be used at the user’s convenience and are thus out of the operator’s control.

4.2. The domain-specific context

The domain-specific context is any context that is particular to the intelligent system’s field of operation. In the consolidation, this context comprises the categories of “target service” and “resource availability.” While the target service category considers the “output view,” the resource availability category considers the “input view.”

The *target service* category uses domain-specific factors to make a service work. It refers to the purpose and action of the target service, rather than to the deployed technologies or resources. For instance, for intelligent context-adaptive advertising, the target service would be advertising or, more specifically, the advertising campaign. For an intelligent alarm clock, the range of clock types and features (e.g., sounds, lights, movements) would make up the target service.

The *resource availability* category includes the range of data, objects, devices, persons, energy, and access to these resources that are necessary to fulfill the intelligent system’s purpose. A navigation system, for example, would fall under resource availability, because it requires spatial information and data on the user’s current position.

The graphical representation of the consolidation (Fig. 1) also contains the *domain-specific context clusters* category. These domain-specific element sets, or clusters, can be interchangeably plugged into

the consolidation representation depending on the domain of the envisaged intelligent system.

In total, we could identify 50 different domain-specific clusters. The context elements contained in these clusters go beyond the generic context of an intelligent system. They are particularly relevant for intelligent systems within a specific domain, such as healthcare, advertising, or agriculture.

Fig. 2 shows an example of a domain-specific context cluster consisting of 30 particular context elements for the traffic domain. Note: this domain-specific context cluster is not intended to be an exhaustive representation of the context in the domain but represents the context elements for the domain as identified in our content analysis of context in pervasive computing articles. The “traffic cluster” might be a relevant example when designing an intelligent system in the traffic domain. Specific examples of intelligent system instances within the traffic domain are intelligent automotive applications or a context-adaptive alternative routing system. For example, a car navigation system could recalculate a route (including estimated arrival time and refueling stops) based on traffic and the driver’s behavior could cause a car navigation system to reschedule the route.

5. Discussion and conclusions

In pervasive, context-aware, and mobile computing, context is an essential source of information for intelligent systems: context influences the system’s behavior. The environments in which systems operate are potentially complex and comprise a wide variety of context elements. Dividing context into different categories is a common approach to conceptualize context. The many context models that exist are heterogeneous and scattered throughout the research fields of CA, CSCW, and HCI. Putting these “puzzle pieces” together was the prime objective of this work.

When discussing our work, several caveats and limitations should be considered. First, our content analysis of context considered in research on intelligent systems is based on data from a single journal. For analyzing the context of a particular intelligent system within a specific domain, further methods – in addition to the context considered in our consolidation – are required to comprehensively understand context within the respective domains. In the current state, the domain-specific context clusters

that we have identified do not represent context within the respective domains exhaustively; they constitute just excerpts of the domains as discussed in the analyzed papers. Second, despite being careful about establishing intersubjective validity when consolidating the context elements (see Section 3.3), different approaches of consolidating could lead to a different categorization. Still, as the high-level context categories (generic and domain-specific context as well as social, technology and physical context) remained stable throughout our analysis, we do not expect that different approaches to consolidation on lower context levels would considerably change our results.



Fig. 2. Domain-specific context cluster for the traffic domain

These caveats notwithstanding, our work offers three key contributions. First, this article provides an overview of 36 context models. In these models, we identified shared context categories: social context, location, time, physical context, and user context. Research on context for intelligent systems in CA, CSCW and HCI has predominantly put these five categories into spotlight. However, the analysis also revealed that there is a long tail of context categories that are considered only sporadically in the context

models. Context elements represented in the long tail, though, may be important for intelligent systems operating in specific domains because they may enable them to gain richer insight into their environment beyond the shared context categories. If intelligent systems considered the long tail of context, they would possibly be capable of providing even more innovative, adaptable, and *intelligent* services to users.

Second, motivated by the results of our context model analysis, we analyzed the models against the context elements that were considered in the discourse on intelligent systems. This content analysis – considering a total of 10,498 context elements – revealed that about half of the identified unique context elements did not match any of the context models’ categories. On the one hand, this finding called for the introduction of new categories. On the other, the analysis helped identify domain-specific context element clusters, indicating the importance of considering domain-specific context. Intelligent systems in specific domains often need to adapt to particular types of conditions that do not occur in other domains. We claim that context is a rich concept that has different facets within different application domains and thus cannot be represented in models that represent context purely generically.

Third, based on these findings, we have presented a consolidation of findings of context that reflects the variety of context that intelligent systems are embedded in. The consolidation considers generic and domain-specific context elements, which is a novel perspective, as existing approaches to context categorization have not considered domain-specific aspects of context.

Still, our consolidation is a snapshot at the time of analysis. We emphasize that the consolidation covers as much of context as is reflected by the reported context elements in the analyzed literature; it needs to evolve in line with the amount of information known about context (in the “real world”).

References

- [1] D. Alonso-Ríos, A. Vázquez-García, E. Mosqueira-Rey and V. Moret-Bonillo, A Context-of-Use Taxonomy for Usability Studies, *Int J Hum-Comput Int*, **26**, 10 (2010/09/17 2010), 941-970.
- [2] I. Arminen, Social functions of location in mobile telephony, *Pers Ubiqu Comput*, **10**, 5 (2006), 319-323.
- [3] C. Bauer and A. K. Dey, Considering Context in the Design of Intelligent Systems: Current Practices and Suggestions for Improvement, *J Syst Software*, **112** (2016), 26-47.

- [4] C. Bauer and S. Spiekermann, Conceptualizing Context for Pervasive Advertising, in J. Müller, F. Alt and D. Michelis, eds., *Pervasive Advertising*, (2011), 159-183.
- [5] M. Benerecetti, P. Bouquet and M. Bonifacio, Distributed Context-Aware Systems, *Hum-Comput Int*, **16**, 2-4 (December 2001), 213-228.
- [6] C. Bettini, O. Brdiczka, K. Henriksen, J. Indulska, D. Nicklas, A. Ranganathan and D. Riboni, A survey of context modelling and reasoning techniques, *Pervasive Mob Comput*, **6**, 2 (2010), 161-180.
- [7] D. Black, N. J. Clemmensen and M. B. Skov, Supporting the supermarket shopping experience through a context-aware shopping trolley, in *Proc. OZCHI 2009*, ACM (2009), 33-40.
- [8] S. K. Boell and D. Cecez-Kecmanaovic, A Hermeneutic Approach for Conducting Literature Reviews and Literature Searches, *Communications of the Association of Information Systems*, **34**, 1 (January 2014), 257-286.
- [9] N. A. Bradley and M. D. Dunlop, Toward a multidisciplinary model of context to support context-aware computing, *Hum-Comput Int*, **20**, 4 (2005), 403-446.
- [10] P. Brézillon and S. Abu-Hakima, Using Knowledge in its Context: Report on the IJAI-93 Workshop, *AI Mag*, **16**, 1 (Spring 1995), 87-91.
- [11] G. Broll, H. Hußmann, G. N. Prezerakos, G. Kapitsaki and S. Salsano, Modeling context information for realizing simple mobile services, in *Proc. Mobile and Wireless Communications Summit 2007* (2007), 1-5.
- [12] P. J. Brown, J. D. Bovey and X. Chen, Context-aware applications: from the laboratory to the marketplace, *Ieee Pers Commun*, **4**, 5 (October 1997), 58-64.
- [13] D. Chalmers and M. Sloman, QoS and Context Awareness for Mobile Computing, in H.-W. Gellersen, ed. *Handheld and Ubiquitous Computing, 1707*, (1999), 380-382.
- [14] G. Chen and D. Kotz, *A survey of context-aware mobile computing research*, Dartmouth College, Hanover, NH, 2000.
- [15] Y. Chen and M. E. Atwood, Context-Centered Design: Bridging the Gap Between Understanding and Designing, in J. A. Jacko, ed. *Human-Computer Interaction, Part 1 (HCI 2007)*, (2007), 40-48.
- [16] H. C. Clitheroe, D. Stokols and M. Zmuidzinis, Conceptualizing the Context of Environment and Behavior, *J Environ Psychol*, **18**, 1 (March 1998), 103-112.
- [17] F. De Rosa, A. Malizia and M. Mecella, Disconnection prediction in mobile ad hoc networks for supporting cooperative work, *IEEE Pervas Comput*, **4**, 3 (2005), 62-70.
- [18] W. H. DeLone and E. R. McLean, Information Systems Success: The Quest for the Dependent Variable, *Inform Syst Res*, **3**, 1 (March 1992), 60-95.
- [19] A. K. Dey, Context-aware computing: the CyberDesk project, in *Proc. AAAI '98* (1998), 51-54.
- [20] A. K. Dey, Understanding and using context, *Pers Ubiqu Comput*, **5**, 1 (February 2001), 4-7.
- [21] A. K. Dey and G. D. Abowd, Towards a better understanding of context and context-awareness, in *Proc. Workshop on The What, Who, Where, When, and How of Context-Awareness, part of CHI 2000* (2000).
- [22] A. Dix, T. Rodden, N. Davies, J. Trevor, A. Friday and K. Palfreyman, Exploiting space and location as a design framework for interactive mobile systems, *ACM T Comput-Hum Int*, **7**, 3 (2000), 285-321.
- [23] P. Dourish, What we talk about when we talk about context, *Pers Ubiqu Comput*, **8**, 1 (2004), 19-30.
- [24] C. Fischer and H. Gellersen, Location and Navigation Support for Emergency Responders: A Survey, *IEEE Pervas Comput*, **9**, 1 (Jan-Mar 2010), 38-47.
- [25] G. Fitzpatrick and G. Smith, Technology-enabled feedback on domestic energy consumption: articulating a set of design concerns, *IEEE Pervas Comput*, **8**, 1 (Jan-Mar 2009), 37-44.
- [26] B. Friedman and H. Nissenbaum, Software agents and user autonomy, in *Proc. AGENTS 1997* (1997), 466-469.
- [27] T. Gnirs, *Kontextsensitive Umgebungen des Pervasive Computing*, Der Andere Verlag, Tönning Germany, 2004.
- [28] T. Greenhalgh and R. Peacock, Effectiveness and Efficiency of Search Methods in Systematic Reviews of Complex Evidence: Audit of Primary Sources, *British Medical Journal*, **331**, 7524 (November 2005), 1064-1065.
- [29] G. Groh, A. Lehmann, T. Wang, S. Huber and F. Hammerl, Applications for social situation models, in *Proc. IADIS International Conference Informatics 2010, part of MCCSIS 2010*, IADIS (2010), 75-82.
- [30] T. Gu, H. K. Pung and D. Q. Zhang, A service-oriented middleware for building context-aware services, *J Netw Comput Appl*, **28**, 1 (January 2005), 1-18.
- [31] J. Gwizdka, What's in the context, in *Proc. Workshop on Workshop 11. The What, Who, Where, When, Why and How of Context-Awareness, part of CHI 2000* (2000).
- [32] L. Han, S. Jyri, J. Ma and K. Yu, Research on context-aware mobile computing, in *Proc. International Conference on Advanced Information Networking and Applications*, IEEE (2008), 24-30.
- [33] M. Hassenzahl and N. Tractinsky, User experience: a research agenda, *Behav Inform Technol*, **25**, 2 (2006), 91-97.
- [34] K. Henriksen, J. Indulska and A. Rakotonirainy, Modeling Context Information in Pervasive Computing Systems, *IEEE Pervas Comput*, **2414** (2002), 167-180.
- [35] K. Henriksen, R. Wishart, T. McFadden and J. Indulska, Extending context models for privacy in pervasive computing environments, in *Proc. PerCom Workshops 2005*, IEEE (2005), 20-24.
- [36] G. A. Holton, Defining Risk, *Financ Anal J*, **60**, 6 (November/December 2004), 19-25.
- [37] J.-y. Hong, E.-h. Suh and S.-J. Kim, Context-aware systems: a literature review and classification, *Expert Syst Appl*, **36**, 4 (May 2009), 8509-8522.
- [38] R. Hull, P. Neaves and J. Bedford-Roberts, Towards situated computing, in *Proc. 1st International Symposium on Wearable Computers*, IEEE (1997), 146-153.
- [39] G. Iachello and G. D. Abowd, Privacy and proportionality: adapting legal evaluation techniques to inform design in ubiquitous computing, in *Proc. SIGCHI Conference on Human Factors in Computing Systems (CHI 2005)*, ACM (2005), 91-100.
- [40] ISO 9241-11:1998(E), *Ergonomic requirements for office work with visual display terminals (VDTs) - Part 11: Guidance on usability*, 1998.
- [41] ISO 9241-210:2010 12 15, *Ergonomics of human-system interaction - Part 210: Human-centred design for interactive systems*, 2010.
- [42] ISO/IEC DIS 25063.3, *Systems and software engineering: Systems and software product Quality Requirements and Evaluation (SQuaRE): Common Industry Format (CIF) for usability: Context of use description*, 2013.
- [43] A. Jameson, Modelling both the Context and the User, *Pers Ubiqu Comput*, **5** (2001), 29-33.
- [44] S. Jumisko-Pyykkö and T. Vainio, Framing the context of use for mobile HCI, *J Mobile Hum Comput Int*, **2**, 4 (2010), 1-28.

- [45] M. Kaenampornpan and E. O'Neill, An integrated context model: Bringing activity to context, in *Proc. 1st International Workshop on Advanced Context Modelling, Reasoning and Management, part of UbiComp 2004* (2004).
- [46] H. Kim, J. Kim, Y. Lee, M. Chae and Y. Choi, An empirical study of the use contexts and usability problems in mobile Internet, in *Proc. HICSS 2002* (2002), 1767-1776.
- [47] J. Kjeldskov and J. Paay, Indexicality: understanding mobile human-computer interaction in context, *ACM T Comput-Hum Int*, **17**, 4 (December 2010), 14:11-14:28.
- [48] J. Krogstie, Requirement engineering for mobile information systems, in *Proc. 7th international workshop on requirements engineering: Foundations for software quality (REFSQ 2001)* (2001).
- [49] I. Lee, J. Kim and J. Kim, Use Contexts for the Mobile Internet: A Longitudinal Study Monitoring Actual Use of Mobile Internet Services, *Int J Hum-Comput Int*, **18**, 3 (2005), 269-292.
- [50] L. Li, Z. Yang, B. Wang and M. Kitsuregawa, Dynamic Adaptation Strategies for Long-Term and Short-Term User Profile to Personalize Search, in G. Dong, X. Lin, W. Wang, Y. Yang and J. Yu, eds., *Advances in Data and Web Management, 4505*, (2007), 228-240.
- [51] H. Lieberman and T. Selker, Out of context: Computer systems that adapt to, and learn from, context, *IBM Syst J*, **39**, 3-4 (2000), 617-632.
- [52] Y. Lin, J. Zhang and J. Gray, Model comparison: a key challenge for transformation testing and version control in model driven software development, in *Proc. OOPSLA Workshop on Best Practices for Model-Driven Software Development* (2004).
- [53] P. Lucas, Mobile Devices and Mobile Data: Issues of Identity and Reference, *Hum-Comput Int*, **16**, 2 (2001), 323-336.
- [54] B. A. Nardi, *Context and consciousness: activity theory and human-computer interaction*, MIT Press, Cambridge, MA, 1996.
- [55] J. Paay, Understanding and Modeling Physical Environments for Mobile Location Aware Information Services, in L. Chittaro, ed. *Human-Computer Interaction with Mobile Devices and Services (Lecture Notes in Computer Science)*, 2795, (2003), 405-410.
- [56] J. Paay and J. Kjeldskov, Understanding situated social interactions in public places: a case study of public places in the city, *Comput Support Comp W*, **17**, 2-3 (2007), 275-290.
- [57] A. S. Pentland, Reality Mining of Mobile Communications: Toward a New Deal on Data, in S. Dutta and I. Mia, eds., *The Global Information Technology Report 2008-2009*, (2009), 75-80.
- [58] P. Prekop and M. Burnett, Activities, context and ubiquitous computing, *Comput Commun*, **26**, 11 (July 2003), 1168-1176.
- [59] N. M. Puccinelli, R. C. Goodstein, D. Grewal, R. Price, P. Raghuram and D. Stewart, Customer experience management in retailing: understanding the buying process, *J Retailing*, **85**, 1 (2009), 15-30.
- [60] A. Rajkomar, A. Blandford and A. Mayer, Situated Interactions of Lay Users with Home Hemodialysis Technology: Influence of Broader Context of Use, in *Proc. 2012 Symposium on Human Factors and Ergonomics in Health Care* (2012), 219-223.
- [61] T. Rodden, K. Cheverst, K. Davies and A. Dix, Exploiting Context in HCI Design for Mobile Systems, in *Proc. Workshop on Human Computer Interaction with Mobile Devices* (1998), 21-22.
- [62] V. Roto, *Web browsing on mobile phones: Characteristics of user experience*, Helsinki University of Technology, 2006.
- [63] F. Schaub, B. Könings, S. Dietzel, M. Weber and F. Kargl, Privacy context model for dynamic privacy adaptation in ubiquitous computing, in *Proc. ACM Conference on Ubiquitous Computing (UbiComp 2012)*, ACM (2012), 752-757.
- [64] B. N. Schilit, N. Adams and R. Want, Context-Aware Computing Applications, in *Proc. First Workshop on Mobile Computing Systems and Applications (WMCSA 1994)*, IEEE (1994), 85-90.
- [65] B. N. Schilit and M. M. Theimer, Disseminating active map information to mobile hosts, *IEEE Network*, **8**, 5 (1994), 22-32.
- [66] J. Schirmer and H. Bach, Context management in an agent-based approach for service assistance in the domain of consumer electronics, in *Proc. IMC 2000*, Fraunhofer Institute (Neuer Hochschulschriftenverlag) (2000), 42-49.
- [67] A. Schmidt, K. A. Aidoo, A. Takaluoma, U. Tuomela, K. Laerhoven and W. Velde, Advanced Interaction in Context, in H.-W. Gellersen, ed. *Handheld and Ubiquitous Computing, 1707*, (1999), 89-101.
- [68] A. Schmidt, M. Beigl and H.-W. Gellersen, There is more to context than location, *Comput Graph*, **23**, 6 (1999), 893-902.
- [69] A. Sears, M. Lin, J. A. Jacko and Y. Xiao, When Computers Fade ... Pervasive Computing and Situationally-Induced Impairments and Disabilities, in C. Stephanidis and J. A. Jacko, eds., *Human-Computer Interaction: Theory and Practice, 2*, (2003), 1298-1302.
- [70] M. Seate and B. Dwolatzky, Adaptive context human-computer interface (HCI) for power distribution network maintenance teams, in *Proc. 6th IEEE Africon Conference in Africa (AFRICON '02)* (2002), 907-912.
- [71] C. Shapiro and H. R. Varian, *Information Rules: A Strategic Guide to the Network Economy*, Harv. Bus. Press, Boston, MA, 1998.
- [72] S. Sigg, S. Haseloff and K. David, An alignment approach for context prediction tasks in UbiComp environments, *IEEE Pervas Comput*, **9**, 4 (Oct-Dec 2010), 90-97.
- [73] W. Sitou and B. Spanfelner, Towards Requirements Engineering for Context Adaptive Systems, in *Proc. COMPSAC 2007* (2007), 593-600.
- [74] A. Smailagic, D. P. Siewiorek, J. Anhalt, F. Gemperle, D. Salber and S. Weber, Towards context aware computing: experiences and lessons learned, *IEEE Intell Syst*, **16**, 3 (2001), 38-46.
- [75] T. Soikkeli, J. Karikoski and H. Hämmäinen, Context classification framework for handset-based end user studies, *J Univers Comput Sci*, **20**, 14 (2014), 1964-1986.
- [76] A. Soylu, P. De Causmaecker and P. Desmet, Context and adaptivity in pervasive computing environments: links with software engineering and ontological engineering, *J Softw*, **4**, 9 (2009), 992-1013.
- [77] P. Tarasewich, Towards a Comprehensive Model of Context for Mobile and Wireless Computing, in *Proc. AMCIS 2003* (2003), 114-124.
- [78] P. Truillet, A Taxonomy of Physical Contextual Sensors, in *Proc. HCI International 2007*, Springer (2007), 982-989.
- [79] D. Tsai and H.-C. Lee, Demographics, psychographics, price searching and recall in retail shopping, *The Service Industries Journal*, **29**, 9 (September 2009), 1243-1259.
- [80] O. Turel, Contextual effects on the usability dimensions of mobile value-added services: a conceptual framework, *Int J Mob Commun*, **4**, 3 (2006), 309-332.

- [81] M. Weiser, The Computer for the 21st Century, *Sci Am*, **265**, 3 (September 1991), 94-104.
- [82] H. Wigelius and H. Vääätäjä, Dimensions of Context Affecting User Experience in Mobile Work, in *Proc. INTERACT 2009*, Springer (2009), 604-617.
- [83] Z. Zainol and K. Nakata, Generic context ontology modelling: a review and framework, in *Proc. ICCTD 2010*, IEEE (2010), 126-130.