

PUBLICATIONS | START PROGRAMME Y963

MICHAEL EICHMAIR

The research in the publications and preprints listed on the following pages has been supported by the ongoing START Programme Y963 of the Austrian Science Fund.

Date: January 4, 2023.

- [1] Tarig Abdelgadir, Anton Mellit, and Fernando Rodriguez Villegas, The Tutte polynomial and toric Nakajima quiver varieties, *Proc. Roy. Soc. Edinburgh Sect. A* (2022), no. 152, 1323–1339, <https://doi.org/10.1017/prm.2021.61>
- [2] Lars Andersson and David Fajman, Nonlinear stability of the Milne model with matter, *Comm. Math. Phys.* (2020), no. 378, 261–298, <https://doi.org/10.1007/s00220-020-03745-w>
- [3] Piotr Bizoń, Bradley Cownden, and Maciej Maliborski, Characteristic approach to the soliton resolution, *Nonlinearity* (2022), no. 35, 4585–4598, <https://doi.org/10.1088/1361-6544/ac7b04>
- [4] Piotr Bizoń and Maciej Maliborski, Comment on a regular black hole with yang-mills hair, *arXiv*, <https://arxiv.org/abs/2210.17462>
- [5] V. Branding, S. Montaldo, C. Oniciuc, and A. Ratto, Polyharmonic hypersurfaces into pseudo-riemannian space forms, *arXiv*, <https://arxiv.org/abs/2106.07888>
- [6] Volker Branding, On conservation laws for the supersymmetric sigma model, *Results Math.* (2017), no. 72, 2181–2201, <https://doi.org/10.1007/s00025-017-0756-7>
- [7] ———, On the full bosonic string from Minkowski space to Riemannian manifolds, *J. Math. Anal. Appl.* (2017), no. 451, 858–872, <https://doi.org/10.1016/j.jmaa.2017.02.010>
- [8] ———, An estimate on the nodal set of eigenspinors on closed surfaces, *Math. Z.* (2018), no. 288, 1–10, <https://doi.org/10.1007/s00209-017-1873-4>
- [9] ———, A global weak solution to the full bosonic string heat flow, *J. Evol. Equ.* (2018), no. 18, 1819–1841, <https://doi.org/10.1007/s00028-018-0462-2>
- [10] ———, Energy methods for Dirac-type equations in two-dimensional Minkowski space, *Lett. Math. Phys.* (2019), no. 109, 295–325, <https://doi.org/10.1007/s11005-018-1107-7>
- [11] ———, Remarks on polyharmonic curves of constant curvature, *arXiv*, <https://arxiv.org/abs/2109.13747>
- [12] Volker Branding and Georges Habib, Eigenvalue estimates on weighted manifolds, *arXiv*, <https://arxiv.org/abs/2201.06375>
- [13] Volker Branding and Klaus Kröncke, Global existence of Dirac-wave maps with curvature term on expanding spacetimes, *Calc. Var. Partial Differential Equations* (2018), no. 57, Paper No. 119, 30, <https://doi.org/10.1007/s00526-018-1389-8>
- [14] Volker Branding and Cezar Oniciuc, Unique continuation theorems for biharmonic maps, *Bull. Lond. Math. Soc.* (2019), no. 51, 603–621, <https://doi.org/10.1112/blms.12240>
- [15] Volker Branding and Wayne Rossman, Magnetic geodesics on surfaces with singularities, *Pac. J. Math. Ind.* (2017), no. 9, Art. 3, 8, <https://doi.org/10.1186/s40736-017-0028-1>
- [16] Volker Branding and Anna Siffert, On the equivariant stability of harmonic self-maps of cohomogeneity one manifolds, *J. Math. Anal. Appl.* (2023), no. 517, Paper No. 126635, 19, <https://doi.org/10.1016/j.jmaa.2022.126635>

- [17] Hubert L. Bray, William P. Minicozzi II, Michael Eichmair, Lan-Hsuan Huang, Shing-Tung Yau, Karen Uhlenbeck, Rob Kusner, Fernando Codá Marques, Chikako Mese, and Ailana Fraser, The mathematics of Richard Schoen, *Notices Amer. Math. Soc.* (2018), no. 65, 1349–1376
- [18] S. Brendle and M. Eichmair, Proof of the michael-simon-sobolev inequality using optimal transport, *arXiv*, <https://arxiv.org/abs/2205.10284>
- [19] Erik Carlsson, Eugene Gorsky, and Anton Mellit, The $\mathbb{A}_{q,t}$ algebra and parabolic flag Hilbert schemes, *Math. Ann.* (2020), no. 376, 1303–1336, <https://doi.org/10.1007/s00208-019-01898-1>
- [20] Erik Carlsson and Anton Mellit, A combinatorial formula for the nabla operator, *arXiv*, <https://arxiv.org/abs/2012.01627>
- [21] ———, Gkm spaces, and the signed positivity of the nabla operator, *arXiv*, <https://arxiv.org/abs/2110.07591>
- [22] Otis Chodosh and Michael Eichmair, On far-outlying constant mean curvature spheres in asymptotically flat Riemannian 3-manifolds, *J. Reine Angew. Math.* (2020), no. 767, 161–191, <https://doi.org/10.1515/crelle-2019-0034>
- [23] ———, Global uniqueness of large stable CMC spheres in asymptotically flat Riemannian 3-manifolds, *Duke Math. J.* (2022), no. 171, 1–31, <https://doi.org/10.1215/00127094-2021-0043>
- [24] Otis Chodosh, Michael Eichmair, and Vlad Moraru, A splitting theorem for scalar curvature, *Comm. Pure Appl. Math.* (2019), no. 72, 1231–1242, <https://doi.org/10.1002/cpa.21803>
- [25] Otis Chodosh, Michael Eichmair, Yuguang Shi, and Haobin Yu, Isoperimetry, scalar curvature, and mass in asymptotically flat Riemannian 3-manifolds, *Comm. Pure Appl. Math.* (2021), no. 74, 865–905, <https://doi.org/10.1002/cpa.21981>
- [26] Otis Chodosh, Michael Eichmair, Yuguang Shi, and Jintian Zhu, Characterization of large isoperimetric regions in asymptotically hyperbolic initial data, *Comm. Math. Phys.* (2019), no. 368, 777–798, <https://doi.org/10.1007/s00220-019-03354-2>
- [27] Otis Chodosh, Michael Eichmair, and Alexander Volkmann, Isoperimetric structure of asymptotically conical manifolds, *J. Differential Geom.* (2017), no. 105, 1–19, <https://doi.org/10.4310/jdg/1483655857>
- [28] Michele D’Adderio and Anton Mellit, A proof of the compositional delta conjecture, *Adv. Math.* (2022), no. 402, Paper No. 108342, 17, <https://doi.org/10.1016/j.aim.2022.108342>
- [29] Shantanu Dave and Stefan Haller, The heat asymptotics on filtered manifolds, *J. Geom. Anal.* (2020), no. 30, 337–389, <https://doi.org/10.1007/s12220-018-00137-4>
- [30] ———, Graded hypoellipticity of BGG sequences, *Ann. Global Anal. Geom.* (2022), no. 62, 721–789, <https://doi.org/10.1007/s10455-022-09870-0>
- [31] Christopher Deninger and Anton Mellit, $\mathbb{Z}R$ and rings of Witt vectors $W_S(R)$, *Rend. Semin. Mat. Univ. Padova* (2019), no. 142, 93–102, <https://doi.org/10.4171/RSMUP/32>

- [32] Michael Eichmair, Gregory J. Galloway, and Abraão Mendes, Initial data rigidity results, *Comm. Math. Phys.* (2021), no. 386, 253–268, <https://doi.org/10.1007/s00220-021-04033-x>
- [33] Michael Eichmair and Thomas Koerber, Large area-constrained willmore surfaces in asymptotically schwarzschild 3-manifolds, *arXiv*, <https://arxiv.org/abs/2101.12665>
- [34] ———, Foliations of asymptotically flat 3-manifolds by stable constant mean curvature spheres, *arXiv*, <https://arxiv.org/abs/2201.12081>
- [35] ———, The Willmore center of mass of initial data sets, *Comm. Math. Phys.* (2022), no. 392, 483–516, <https://doi.org/10.1007/s00220-022-04349-2>
- [36] Michael Eichmair, Thomas Koerber, Jan Metzger, and Felix Schulze, Huisken-yau-type uniqueness for area-constrained willmore spheres, *arXiv*, <https://arxiv.org/abs/2204.04102>
- [37] David Fajman, Jérémie Joudioux, and Jacques Smulevici, The stability of the Minkowski space for the Einstein-Vlasov system, *Anal. PDE* (2021), no. 14, 425–531, <https://doi.org/10.2140/apde.2021.14.425>
- [38] David Fajman and Liam Urban, Blow-up of waves on singular spacetimes with generic spatial metrics, *Lett. Math. Phys.* (2022), no. 112, Paper No. 42, 31, <https://doi.org/10.1007/s11005-022-01522-5>
- [39] ———, Cosmic censorship near flrw spacetimes with negative spatial curvature, *arXiv*, <https://arxiv.org/abs/2211.08052>
- [40] Adriano Garsia and Anton Mellit, Five-term relation and Macdonald polynomials, *J. Combin. Theory Ser. A* (2019), no. 163, 182–194, <https://doi.org/10.1016/j.jcta.2018.12.003>
- [41] Eugene Gorsky, Matthew Hogancamp, and Anton Mellit, Tautological classes and symmetry in khovanov-rozansky homology, *arXiv*, <https://arxiv.org/abs/2103.01212>
- [42] Eugene Gorsky, Matthew Hogancamp, Anton Mellit, and Keita Nakagane, Serre duality for Khovanov-Rozansky homology, *Selecta Math. (N.S.)* (2019), no. 25, Paper No. 79, 33, <https://doi.org/10.1007/s00029-019-0524-5>
- [43] Philipp Grohs, Sarah Koppensteiner, and Martin Rathmair, Phase retrieval: uniqueness and stability, *SIAM Rev.* (2020), no. 62, 301–350, <https://doi.org/10.1137/19M1256865>
- [44] Stefan Haller, Analytic torsion of generic rank two distributions in dimension five, *J. Geom. Anal.* (2022), no. 32, Paper No. 248, 66, <https://doi.org/10.1007/s12220-022-00987-z>
- [45] Stefan Haller and Cornelia Vizman, Nonlinear flag manifolds as coadjoint orbits, *Ann. Global Anal. Geom.* (2020), no. 58, 385–413, <https://doi.org/10.1007/s10455-020-09725-6>
- [46] ———, A dual pair for the contact group, *Math. Z.* (2022), no. 301, 2937–2973, <https://doi.org/10.1007/s00209-022-03002-x>
- [47] Tamás Hausel, Anton Mellit, and Du Pei, *Mirror symmetry with branes by equivariant Verlinde formulas*, Geometry and physics. Vol. I, 2018, pp. 189–218. MR3932262

- [48] Matthew Hogancamp and Anton Mellit, Torus link homology, *arXiv*, <https://arxiv.org/abs/1909.00418>
- [49] Willi Keppinger, An algorithm taking Kirby diagrams to trisection diagrams, *Pacific J. Math.* (2022), no. 318, 109–126, <https://doi.org/10.2140/pjm.2022.318.109>
- [50] ———, In dimension 3 the beltrami operator has simple spectrum along generic 1-parameter families of riemannian metrics, but the hodge laplacian does not, *arXiv*, <https://arxiv.org/abs/2211.06916>
- [51] Thomas Koerber, The Riemannian Penrose inequality for asymptotically flat manifolds with non-compact boundary, *arXiv*, <https://arxiv.org/abs/1909.13283>
- [52] ———, A free boundary isometric embedding problem in the unit ball, *Calc. Var. Partial Differential Equations* (2022), no. 61, Paper No. 50, 36, <https://doi.org/10.1007/s00526-021-02173-5>
- [53] Joël Kurzweil and Maciej Maliborski, Resonant dynamics and the instability of the box minkowski model, *arXiv*, <https://arxiv.org/abs/2209.05608>
- [54] Anton Mellit, Cell decompositions of character varieties, *arXiv*, <https://arxiv.org/abs/1905.10685>
- [55] ———, Poincaré polynomials of character varieties, Macdonald polynomials and affine Springer fibers, *Ann. of Math. (2)* (2020), no. 192, 165–228, <https://doi.org/10.4007/annals.2020.192.1.3>
- [56] ———, Poincaré polynomials of moduli spaces of Higgs bundles and character varieties (no punctures), *Invent. Math.* (2020), no. 221, 301–327, <https://doi.org/10.1007/s00222-020-00950-1>
- [57] ———, Rationality proofs by curve counting, *Exp. Math.* (2022), no. 31, 773–782, <https://doi.org/10.1080/10586458.2019.1691088>
- [58] Adam Parusiński and Armin Rainer, Sobolev lifting over invariants, *SIGMA Symmetry Integrability Geom. Methods Appl.* (2021), no. 17, Paper No. 037, 31, <https://doi.org/10.3842/SIGMA.2021.037>
- [59] Armin Rainer, Ultradifferentiable Chevalley theorems and isotropic functions, *Ann. Mat. Pura Appl. (4)* (2021), no. 200, 491–504, <https://doi.org/10.1007/s10231-020-01003-3>
- [60] ———, Roots of Gårding hyperbolic polynomials, *Proc. Amer. Math. Soc.* (2022), no. 150, 2433–2446, <https://doi.org/10.1090/proc/15634>
- [61] Alexander Sakhnovich, Dressing for generalised linear hamiltonian systems depending rationally on the spectral parameter and some applications, *arXiv*, <https://arxiv.org/abs/2107.00435>
- [62] ———, Hamiltonian systems with several space variables: dressing, explicit solutions and energy relations, *arXiv*, <https://arxiv.org/abs/2210.17492>

Michael Eichmair
University of Vienna
Faculty of Mathematics
Oskar-Morgenstern-Platz 1
1090 Vienna, Austria
<https://orcid.org/0000-0001-7993-9536>
michael.eichmair@univie.ac.at